

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5011	"703"/\$.ccls.	USPAT	OR	OFF	2005/01/28 10:59
S2	129	S1 and transformer	USPAT	OR	OFF	2005/01/27 17:03
S3	1	"6369582".pn.	USPAT	OR	OFF	2005/01/27 17:03
S4	2	("6369582" "6321169").pn.	USPAT	OR	OFF	2005/01/27 17:03
S5	2	("6037795" "6417572").pn.	USPAT	OR	OFF	2005/01/28 10:59
S6	3	("4857856"   "5087885"   "5455506").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 11:32
S7	1492	(transformer) and ((model simulation simulator simulate) with (behavior\$1 guideline\$1 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 11:34
S8	201	(transformer) same ((model simulation simulator simulate) with (behavior\$1 guideline\$1 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 11:29
S9	22	S8 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 11:34
S10	13	(transformer) same ((derive deriving create creating produce producing make making "piece together") with (model simulation simulator simulate) with (behavior\$1 guideline\$1 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 11:55
S11	266	(transformer) same ((derive deriving create creating produce producing make making "piece together") with (model simulation simulator simulate))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 11:56
S12	15	S11 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 12:10
S13	13	S11 and "703"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/28 12:10
S14	3	("3883724"   "5159562"   "5251160").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/28 12:17

S15	162	((transformer) same ((model simulation simulator simulate) with (behavior\$1 guideline\$1 characteristic\$1)) and (measur\$4 detect\$4 determin\$4 estimat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 12:06
S16	1	"20040130329"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 11:37
S18	10	S15 and (test near2 signal\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 11:38
S19	117	S15 and frequency	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 13:59
S20	2	("5057962" "5838881").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 14:01
S21	9	("4654806" "5892430" "6446027" "6424266" "5534853" "5847945" "6609079" "6396279" "5781764").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 16:57
S22	1	"6754616".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 17:30
S23	30	((test tester) near3 transformer) same (portable portability)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/01/31 17:55
S24	8062	((eddy adj current) with (resistance loss\$2))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:20
S25	2280	S24 and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:20
S26	7023	((eddy adj current) near3 (resistance loss\$2))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:40
S27	2050	S26 and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:21

S28	175	S27 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:22
S29	4	S28 and 324/547.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:22
S30	318	((eddy adj current) near3 (resistance loss\$2)) with transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 14:13
S31	15	S30 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:41
S32	14	S31 not S29	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:47
S33	111	S26 and (frequency with voltage with resistance)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 08:48
S34	64	S33 and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 09:13
S35	7	transformer and (DC with ((determin\$3 measur\$3 calculate compute find) near2 (resistance near2 coil)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 09:29
S36	11	"324"/\$.ccls. and ((determin\$3 measur\$3 calculate compute find) near3 (resistance near coil)) and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 09:23
S37	9	transformer and (DC with ((determin\$3 measur\$3 calculate compute find) near2 (resistance near2 winding)))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 09:36
S38	0	324/547.ccls. and "703"/.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:00
S39	2	324/547.ccls. and ((simulate model simulator) with (behavior\$1 guideline\$1 characteristic\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:02

S40	21	703/13,14,18.ccls. and ((simulate model simulator) with (behavior\$1 guideline\$1 characteristic\$1)) and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:11
S41	1	"6754616".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:28
S42	1	((interlinked adj flux) with (hysteresis))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:35
S43	31	(interlinked adj flux)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:28
S44	12	S43 and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:36
S45	1	((interlinked adj flux) and (hysteresis))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:35
S46	636	(hysteresis near2 curve) and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:37
S47	454	S46 and flux	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:37
S48	73	S46 and ((determin\$3 find measur\$3 detect\$3 calculat\$3) near3 flux)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:38
S49	23	S48 and ("703"/\$.ccls. or "324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 10:39
S50	1	("5781764").pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 13:23
S51	5	("6369582" "6832182" "6396279").pn. or "20030144825" "20020161558"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 14:11

S52	1	"5500598".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 15:20
S53	1	"20040130329"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 15:45
S54	3	"3696279"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 15:46
S55	1	"6396279".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 16:38
S56	1	"5845649".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/02/01 16:38
S57	1	10/660330	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 17:14
S58	71	((transformer) with secondary same ((eddy near2 current) with power)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 17:19
S59	6	((transformer) with secondary same (((eddy near2 current) near3 (deriv\$3 determin\$3 detect\$3 measur\$3) with power))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 17:23
S60	6	((transformer) with secondary same (((eddy near2 current) near3 (deriv\$3 determin\$3 detect\$3 measur\$3)) with power)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 17:28
S61	56	(transformer) same ((eddy near2 current) near3 (deriv\$3 determin\$3 detect\$3 measur\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/24 17:29
S62	9	(test near3 transformer\$3) and ((determin\$4 deriv\$4 detect\$4) near3 (eddy adj2 current\$1))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 09:54
S63	0	eltel.as.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 09:54

S64	0	eltelindustries.as.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 09:55
S65	0	(eltel adj industries).as.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 09:55
S66	0	(eltel\$9).as.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 09:56
S67	264	eltel	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 10:00
S68	968	eltel\$10	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 10:00
S69	19	S68 and transformer\$1	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 10:07
S70	118	((transformer\$1) same (test near5 signal\$1)) and ((test near5 signal\$1) with secondary)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 10:44
S71	5	324/726.ccls. and (eddy near3 current\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 10:51
S72	3	324/713.ccls. and (eddy near3 current\$1) and (transformer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 11:00
S73	296	"361"/\$.ccls. and (eddy near3 current\$1) and (transformer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 11:00
S74	5	"361"/\$.ccls. and ((determin\$4 detect\$4 measur\$4 deriv\$3) near3 (eddy near3 current\$1)) and (transformer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 11:02
S75	19	((((determin\$4 detect\$4 measur\$4 deriv\$3) near3 (eddy near3 current\$1)) with (power)) and (transformer)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 11:18

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	193	324/222.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 10:58
L2	37	1 and transformer	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 10:59
L3	8	2 and (resistance with power)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:05
L4	7	2 and (secondary with power)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:12
L5	7	2 and ((determin\$4 deriv\$4 detect\$4 measur\$4) near4 (eddy adj2 current))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:14
L6	3	2 and (simulat\$4)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:20
L7	1	2 and (eddy adj2 current adj2 resistanc\$3)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:21
L8	0	324/222.ccls. and 324/547.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:21
L9	0	324/222.ccls. and 324/726.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/28 11:21

S76	173	324/726.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/06/27 11:18
-----	-----	---------------	--------------------------------------	----	-----	------------------